SURGIXPERT



ENDO UROLOGY- SYSTEMS


Minimal - Invasive Surgery





UROLOGY





Content :

1. Endoscope..... 1
(Telescope- Cystoscopes)

2. T.U.R.P. Instruments..... 2-5
(Working Element, Resectoscopes, Electrodes & HF Cord)

3. Cysto-Urethroscope Instruments..... 6
(Cystoscopy Sheath, Bridge)

4. VIU & OTIS..... 7-8
(VIU Sheath & OTIS Instruments)

5. URETERO-RENOSCOPES..... 9-13
(URS & Instruments)

6. NEPHROSCOPES..... 14-16
(PCNL Scopes & Instruments)

7. HOLEP or THULEP HULEP Set 17

8.Bipolar Resectoscope Set for Adults and Adolescents 18

9. Monopolar Resectoscope Set for Children 19

10. Urethrotome Set for Children 20

11. R -Wolf Type Sheath 21-22


12. Accessories for Cystoscope 23-27
13. Accessories for Resectoscope 28-34
14. Accessories for Ureteroscope 35
15. Accessories for Nephroscope 36-37
16. Accessories for Mini PCNL 38
17. Endoscopic Dilators 39-40

Endoscope



Cystoscopes:


⌀ MM	LENGTH MM	DIRECTION OF VIEW	FIELD OF VIEW	TO SYSTEM
2.9	302	0	Wide Angle	Storz
2.9	302	30	Wide Angle	Storz
4	302	0	Wide Angle	Storz
4	302	12	Wide Angle	Storz
4	302	30	Wide Angle	Storz
4	302	70	Wide Angle	Storz



Working Element

* Light weight & Unique design for maximum comfort during long surgeries
* Titanium handle parts
* Sealed Locking mechanism
* Ergonomic handle design with finger rest for maximum comfort even on long surgeries
* Rotating titanium thumb ring

Passive Working Element (Thumb Operated)




Passive Titanium working element for 1stem electrode



Ergonomic handle with finger electrode


Active Working Element (Finger Operated)



Active Titanium working element for 1 stem electrode

Resectoscope Sheath,26 Charr.







* Continous Flow Resectoscope Sheath,26 Charr.

* ROTATING inner sheath for 360o TURP /TURB. Inner shaft with non Reflecting Oblique ceramic tip.


* QuickLock mechanism for easy and fasting assembling/ disassembling.



* Continous Flow Resectoscope Sheath FIXED,26 Charr.


* QuickLock mechanism for easy and fasting assembling/ disassembling.

*inner sheath with non reelecting, oblique ceramic tip, 24Charr



Inner shaft with oblique ceramic tip

Monopolar High Frequency HF cord



5mmplug for Erbe HF Unit

4mm plug for Martin HF Unit

8mm plug for Valleylab HF-Unit

4mm plug for older HF Unit



Safety against bucking

Sterile disposable TUR Electrode the system. Constant good cutting & coagulation performance.

Cutting Loop

Collins Knife electrode

Ball Electrode, 3mm

Ball Electode, 5mm

Rollar Electrode, 5mm

Rollar Electrode, 3mm

Vapor - Electrode, Band width 1.2mm




Cystoscopy Sheath, Bridge

Standard Cysto-Urethroscope sheath with 2 lateral stopcock and standard obturator with automatic tip



Cysto-Urethroscope sheath 17. Charr
Cysto-Urethroscope sheath 19. Charr
Cysto-Urethroscope sheath 20. Charr
Cysto-Urethroscope sheath 22. Charr
Cysto-Urethroscope sheath 25. Charr


Standard Obturators with atraumatic tip and locking mechanism to fit all cysto-Ureroscope Sheath



Obturators 17. Charr
Obturators20. Charr
Obturators 25. Charr

Obturators 19. Charr
Obturators 22. Charr

Visual Obturator with telescope locking mechanism to fit all 4mm Cystoscopes to insert the Cysto-Urethroscope sheath under vision




Obturators 17. Charr
Obturators20. Charr
Obturators 25. Charr


Obturators 19. Charr
Obturators 22. Charr

Cystoscope Bridge for all Cysto-Urethroscope Sheath
Main feature:flat insertion angle for use of semi-rigid instrument lithotriptor probes


Bridge without channel



Bridge with 1 channel for 1 intrument with max. 12 Charr.




Bridge with 2 channel for 1 instrument with max. 12 Charr. or 2 instruments with max. 8 Charr.



VIU Sheath & OTIS Instruments



Urethrotome Sheath oval shape, 21 Charr. with 5Charr. working channel for catherters, bougies and accessories



Hollow Obturator with channel for guide wires



Supplementary sheath. half round , to insert Foley catheters. Double Lock for secure fixation on the Urethrotome Sheath



Continous Flow supplementary sheath with Double Lock for secure fixtion on the Urethrotome Sheath



Bridge with channel for 5Charr. accessories



1 guide stem Urethrotome knifes, for use without HF



Sachse knife, straght



Sickle knife, retrograde




Half round knife, 108°cutting



524 WaveCut knife, straight

VIU Sheath 15.5fr



15.5Fr. Urethrotome Sheath with lateral channal for guide wires and other accessories



Obturator for use with Urethrotome Sheath



1 guide stem Urethrotome knife, for use without HF



Sache knife, straight, 15Charr.




Sickle knife, retrograde, 15 Charr.

Ureter-Rensocopes






Tapered shaft



Instrument bridge

Up to 50.000Pixel Fiber System



Atraumatic Tip Design



Features and Benefits of the Ureter-Rensocopes

·Full HD 50.000 Pixel Fiber System for brilliant picture quality ·

Semi-flexible shaft for operations in anatomical difficult areas

·Atraumatic Tip Design for easy introduction into the ureteral orifice

·Soft-step tapered shaft for atraumatic dilation of the ureter

·Silicone valve system with 2 parallel sealings for leaking-free working channels

·2 different working lengths, suitable for upper and lower ureter-renoscopies

·Large working channels for use with all necessary accessories and instruments

·Oblique irrigation/suction channels for better dilation and continuous suction

->increased vision during bleedings

Uretero-Renoscopes 7.5-10Fr.



7.5 Charr. Compact Uretero-Renoscopes with laterally staggered ocular part

Working diameter	:distal 7.5 Charr.
	: first step 9.8 Charr.
Working channel	: 1x 5 Charr. or 2 x 3 Charr.
Viewing direction	:to working channel
Field of View	:85°
Direction of View	:8° to working channel

Uretero-Renoscope Working length	:425 mm
Uretero-Renoscope Working length	:310 mm




Adapter for EMS lithotriptor Lc2



Adapter for EMS lithotriptor LC1

Uretero-Renoscopes 6-7.5 Fr.






Distal End

6.0 Charr.Uretero-Renoscopes with laterally staggered ocular part

Working diameter	:	Distal 6.0 Charr. firststep 7.5 Charr.
Working channel	:	1x4Charr. or 2 x 2.4 Charr.
Viewing direction	:	to working channel
Field of view	:	100
Direction of View	:	8° to working channel

Uretero-Renoscope Working length	:425 mm
Uretero-Renoscope Working length	:310 mm



Instrument bridge

4.0 Charr.Uretero-Renoscopes Full HD



Advanced semi Rigid Uretero Renoscope ,45cm

Special advantage for this ureterorenoscope

- Unique optical quality
- Automatic design for introduction into the ureteral orifice
- Soft –step tapered shaft
- Silicon value system for working channels
- Large working channel for all accessories up to 3fr.
- Oblique irrigation/ suction channels for better dilation and condition suction
- Oblique light Connector for ergonomic handling

Shaft Diameter / Length

Distal Tip	4.5 fr
Distal	5.0fr.
Proximal	6.0fr.
Total Working Length	45cm or31cm 4fr.
Working channel	
Field of View	65°
Direction of view	5°

Flexible Instruments for URS

Flexible Instruments for use with Uretero-Renoscopes 6/7.5 Charr. Size: 3 Charr./working length 600 mm OR Size: 4 Charr./working length 600 mm



Biopsy Forceps, flexible, double spoon, cutting, incl. handle



Biopsy Forceps, flexible, double spoon, cutting, incl. handle



Alligator Forceps, flexible, incl. handle



Biopsy Forceps, flexible, double spoon, cutting, incl. handle



Scissor, flexible, incl. handle



Alligator Forceps, flexible, incl. handle






Three-Pronged Stone Grasper incl. handle



Stone Extractor, oval, incl. handle

Nephroscope and Mini Nephroscope





Instrument bridge

Features and Benefits of the Nephroscope

Nephroscopy is a percutaneous intervention; the main indication is the removal of kidney stones. Especially stones that arestuck in the renal pelvis or which are too big to be removed via the natural orifi ce ureter and urethra can be treated.


*Outstanding performance (contrast enhanced image bundle, best view, direction of view ideally aligned)

*Safe and reliable (robust, tightly sealed, laser welded, easy to use and to clean)

*High irrigation flow allows high stone-free rate ·Low cost of ownership – long lifetime

*Lightweight construction

·*Best possible cleaning results and inspection possibilities by detachable instrument bridge



Diameter	: 19fr
Working Element	: 220mm
Working channel for Instrument with A to O of	: 9.0fr.
Direction of View	: 8^0

Nephroscope sheath for continuous flow , incl. obturator





24fr. for use with 19.0fr Nephroscope, Red




Instrument bridge



Nephroscopes 13.5fr

Diameter Working	: 13.5fr
Element Working	:220mm
Channel For Instrument with A to O of	: 5.0fr.
Direction of View	: 8°

Nephroscope sheath for continuous flow , incl. obturator



15/18fr. for use with 13.5fr Nephroscope, Yellow




Instrument bridge

Laser Resection Straight laser emission for HOLEP or THULEP HOLEP Set



Cystoscope, Ø 4mm, 30 Degree - (Detail on -Page no - 1.)




RZ laser Working Element, passive, for laser-probes for fibres up to 0.8mm for fibres up to 1.2mm



RZ Laser Working Element, passive, with changeable guide for loser probes



detachable



Continous Flow Resectoscope Sheath,26 Charr. (Detail -Page no -4.)

* short
long RZ LL-Connection, rotatable for use with Loser Probe




Luerlock Tuohy Borst Adopter (0 0.6 · 1.4mm)

Tissue Morcellation





Adapter for use with RZ Nephroscopes and Resectoscope Outer sheaths



Nephroscope 6 °, oval instrument channel, parallel eye piece, 250mm working length

18.5 Charr. Bipolar Resectoscope Set for Adults and Adolescents





(Cystoscope, Ø 2.9mm, 302mm working length,
* 30° direction of view




Passive Titanium Working Element



Active Titanium Working Element



Resectoscope Continous Flow Sheath, 18.5 Chorr., with rotating sheath, incl. obturotor, with Quicklocking



Visual Obturotor, with 5 Chorr. working channel

16 Charr. Electrode





Cutting loop



Cutting loop, Straight



Knife Electrode



Ball Electrode




Roller Electrode, 2mm


Monopolar Resectoscope Set for Children





Pediatric Cystoscope I.9 x 2.1 mm , 187.5mm working length
0° direction of view
30° direction of view





Resectoscope Sheath 11 Charr. with obturotor



Passive working element for use with 2.0mm
RZ Fiber Cystoscope

Resectoscope Sheath 13 Charr. with obturotor



Cutting loop



Coagulation Electrode, blunt



Hook Electrode with ball





Hook Electrode without ball



Needle Electrode, pointed

Urethrotome Set for Children





Pediatric Cystoscope I.9 x 2.1 mm ,
187.5mm working length
0° direction of view
30° direction of view



Pediatric Urethrotome sheath 10Chorr. with obturotor

Passive working element for use with 2.0mm
RZ Fiber Cystoscope



Bridge with 1 channel



Knife with straight cutting edge



Round knife



Sickel knife



Hook knife

R -Wolf Type Sheath



R-WOLF TYPE Resectoscope Sheath with Obturator and Working Element 21Fr



R-WOLF TYPE 25 French Resectoscope Sheath (Continuous Irrigation Type) with Twin Port and Oblique Optical Channel



R-WOLF TYPE Miniperk Nephroscope rotative sheath with Obturator 15fr



R-WOLF TYPE Resectoscope Sheath with Obturator and Working Element 17Fr



R-WOLF TYPE Nephroscope Sheath with Obturator 20.8Fr



R-WOLF TYPE Resectoscope Sheath with Obturator and Working Element 25Fr



Litho Bridge



R-WOLF Cysto Sheath with - Obturator-23Fr


R -Wolf Type Sheath



R-wolf Type Continuous Flow Resectoscope Sheath with Obturator and Double Stopcock Valves 16 Fr



R-Wolf type Nephroscope Rotative Sheath with Obturator-24Fr



17.5 Fr Continuous Flow Resectoscope Sheath with Obturator and Double Stopcock Valves



R-Wolf type Continuous Flow Resectoscope Sheath with Obturator and Double Stopcock Valves 19.5 Fr




R-Wolf type Continuous Flow Resectoscope Sheath with Obturator and Double Stopcock Valves 22 Fr



R-Wolf type Cystoscopy Sheath with Obturator-23Fr



R-Wolf type Continuous Flow Resectoscope Sheath with Double Stopcocks-19Fr




R-Wolf type Cystoscope Double Channel Bridge



R-Wolf type Cystoscope Single Channel Bridge

ACCESSORIES FOR CYSTOSCOPE

SurgiXpert manufactures endourology accessories like accessories for Cystoscope , Resectoscope , Ureterenoscope and Nephroscope. All these accessories are manufactured as per ISO 13485-2016 AND CE 1 023 standards.



Wolf comp. bridges are also available.

CYSTOSCOPE SHEATHS WITH OBTURATOR

SIZE	INSTRUMENT SIZE
15.5	DIAGNOSTIC SHEATH
17	DIAGNOSTIC SHEATH
19	5 FR
20	5 FR
21	5 FR
22	5 FR / 7 FR
23.5	5 FR / 7 FR
25	5 FR / 7 FR

WMS-CYSTO

ACCESSORIES FOR CYSTOSCOPE

WMS-LSH

LITHO BRIDGE/ LITHO SHEATH

Compatible With 22 fr/23.5 FR/25 FR Karl Storz
Cystoscope Sheath



BRIDGE FOR
CYSTO – URETHROSCOPE SHEATHS
(Single Channel) - Karl Storz Compatible



BRIDGE FOR
CYSTO – URETHROSCOPE SHEATHS
(Double Channel) - Karl Storz Compatible



ACCESSORIES FOR CYSTOSCOPE

Stent Removing Forceps (Flexible)

WMS-5FR
WMS-7FR



Scissor Forcep (Flexible)

WMS-5FR
WMS-7FR



Biopsy Forceps (Flexible)

5FR 450MM
7FR 450MM

WMS-5FR
WMS-7FR




ACCESSORIES FOR CYSTOSCOPE

STONE PUNCH SET

Karl Storz Compatible

WMS-SPST



WMS-SCFPS

STONE CRUSHING FORCEP

(Compatible With 23.5Fr/25Fr Karl Storz Cystoscope Sheaths)



ACCESSORIES FOR CYSTOSCOPE

WMS-CYST0-SET





•Single Channel Bridge
•Double Channel Bridge



LITHO BRIDGE/
LITHO SHEATH



STONE PUNCH SET

4mm 30 degree
HD Telescope



STONE CRUSHING
FORCEP






•Scissor Forceps
(Flexible)



•Biopsy forcep

CYSTOSCOPE SHEATHS




•Stent Removing
forcep



ACCESSORIES FOR RESECTOSCOPE

MONOPOLAR WORKING ELEMENT

Karl Storz Compatible



SINGLE STEM ACTIVE WORKING ELEMENT
DOUBLE STEM ACTIVE WORKING ELEMENT
SINGLE STEM PASSIVE WORKING ELEMENT
DOUBLE STEM PASSIVE WORKING ELEMENT

HYBRID WORKING ELEMENT

Karl Storz Compatible



ACCESSORIES FOR RESECTOSCOPE

TURP SHEATH WITH OBTURATOR

Karl Storz Compatible



TURP ROTATABLE SHEATH

WMS-24FR
WMS-26FR

TURP NON ROTATABLE SHEATH

WMS-24FR

TURP CLICK LINE SHEATH WITH OBTURATOR

Karl Storz Compatible



WMS-26FR

ACCESSORIES FOR RESECTOSCOPE

21FR OPTICAL URETHROTOME SHEATH WITH OBTURATOR & HALF MOON


Karl Storz Compatible



WMS-21FR

OTIS URETHROTOME WITH KNIVES (BOX TYPE)

Karl Storz Compatible



WMS-OTISU

HIGH FREQUENCY CABLE

Karl Storz Compatible



MONOPOLAR
SINGLE STEM HF CABLE
WMS-MSS-HFC



MONOPOLAR
DOUBLE STEM HF CABLE
WMS-MDS-HFC



BIPOLAR
HF CABLE
WMS-BP-HFC

ACCESSORIES FOR RESECTOSCOPE

TURP LOOPS KARL STORZ COMPATIBLE



Monopolar

TURP LOOPS COMPATIBLE WITH KARL STORZ 24 FR SHEATH

Product Description
Single Steam Cutting Loop
Single Steam Collins knife
Single Steam Cold Knife
Single Steam Roller Electrode 3 mm
Single Steam Roller Electrode 5 mm
Single Steam Grooved Roller Electrode 5 mm
Single Steam Ball Electrode 3 mm
Single Steam Ball Electrode 5 mm

Product Description
Double Steam Cutting Loop
Double Steam Collins knife
Double Steam Cold Knife
Double Steam Roller Electrode 3 mm
Double Steam Roller Electrode 5 mm
Double Steam Grooved Roller Electrode 5 mm
Double Steam Ball Electrode 3 mm
Double Steam Ball Electrode 5 mm

Monopolar

TURP LOOPS COMPATIBLE WITH KARL STORZ 19 FR/22 FR SHEATH FOR 2.9 MM TELESCOPE

Product Description
Single Steam Cutting Loop
Single Steam Collins knife
Single Steam Cold Knife
Single Steam Roller Electrode 3 mm

Product Description
Single Steam Roller Electrode 5 mm
Single Steam Grooved Roller Electrode 5 mm
Single Steam Ball Electrode 3 mm
Single Steam Ball Electrode 5 mm

ACCESSORIES FOR RESECTOSCOPE



TURP LOOPS KARL STORZ COMPATIBLE

Bipolar

TURP LOOPS COMPATIBLE WITH KARL STORZ 24 FR SHEATH

Product Description
Single Steam Cutting Loop
Single Steam Collins knife
Single Steam Ball Electrode 3 mm
Single Steam Button Electrode

Product Description
Double Steam Cutting Loop
Double Steam Collins knife
Double Steam Ball Electrode 3 mm
Double Steam Button Electrode

Bipolar

TURP LOOPS COMPATIBLE WITH KARL STORZ 22 FR SHEATH

Product Description
Single Steam Cutting Loop
Single Steam Collins Knife
Single Steam Ball Electrode 3 mm

Product Description
Double Steam Cutting Loop
Double Steam Collins knife
Double Steam Ball Electrode 3 mm

ACCESSORIES FOR RESECTOSCOPE



TURP LOOPS RICHARD WOLF COMPATIBLE

Monopolar

TURP LOOPS COMPATIBLE WITH RICHARD WOLF 24 FR SHEATH

Product Description
Cutting Loop
Collins Knife
Cold Knife
Ball Electrode 3 mm
Ball Electrode 5 mm
Roller Electrode 3 mm
Roller Electrode 5 mm
Grooved Roller Electrode 3 mm
Grooved Roller Electrode 5 mm

TURP LOOPS COMPATIBLE WITH RICHARD WOLF 22 FR SHEATH

Product Description
Cutting Loop
Collins Knife

TURP LOOPS RICHARD WOLF COMPATIBLE

Bipolar

TURP LOOPS COMPATIBLE WITH RICHARD WOLF 24 FR SHEATH

Product Description
Cutting Loop
Collins Knife
Cold Knife
Ball Electrode 3 mm
Roller Electrode 3 mm
Button Electrode

TURP LOOPS COMPATIBLE WITH RICHARD WOLF 22 FR SHEATH

Product Description
Cutting Loop
Collins Knife
Ball Electrode 3 mm
Button Electrode

ACCESSORIES FOR RESECTOSCOPE



TURP LOOPS OLYMPUS COMPATIBLE

Monopolar

TURP LOOPS COMPATIBLE WITH OLYMPUS 12 DEGREE 24 FR SHEATH

Product Description
Cutting Loop
Collins Knife
Ball Electrode 3 mm
Ball Electrode 5 mm
Roller Electrode 3 mm
Roller Electrode 5 mm
Grooved Roller Electrode 3 mm
Grooved Roller Electrode 5 mm

TURP LOOPS COMPATIBLE WITH OLYMPUS 30 DEGREE 24 FR SHEATH

Product Description
Cutting Loop
Collins Knife
Cold Knife
Ball Electrode 3 mm
Ball Electrode 5 mm
Roller Electrode 3 mm
Roller Electrode 5 mm
Grooved Roller Electrode 3 mm
Grooved Roller Electrode 5 mm

TURP LOOPS OLYMPUS COMPATIBLE

Bipolar

TURP LOOPS COMPATIBLE WITH OLYMPUS 12 DEGREE 24 FR SHEATH

Product Description
Small Cutting Loop
Medium Cutting Loop
Large Cutting Loop
Small Angled Loop
Medium Angled Loop
Needle Loop
Button Electrode

TURP LOOPS COMPATIBLE WITH OLYMPUS 30 DEGREE 24 FR SHEATH

Product Description
Small Cutting Loop
Medium Cutting Loop
Large Cutting Loop
Small Angled Loop
Medium Angled Loop
Needle Loop
Button Electrode

ACCESSORIES FOR URETEROSCOPE

SurgiXpert Litho-D



FOOT SWITCH



OXYGEN REGULATOR



HANDPIECE



PROBE



ACCESSORIES FOR NEPHROSCOPE

WMS-PCNLAFP-6FR
WMS-PCNLAFP-PFR
WMS-PCNLAFP-12FR

PCNL ALLIGATOR FORCEP




WMS-PCNLPNFP-6FR
WMS-PCNLPNFP-9FR
WMS-PCNLPNFP-12FR

PCNL PEANUT FORCEP



WMS-PCNLBFP-6FR
WMS-PCNLBFP-9FR
WMS-PCNLBFP-12FR

PCNL BIPRONGE FORCEP



ACCESSORIES FOR NEPHROSCOPE

PCNL TRIPRONGE FORCEP








WMS-PCNLTRFP-6FR
WMS-PCNLTRFP-9FR
WMS-PCNLTRFP-12FR

WMS-TR-PCNLUH-6FR
WMS-TR-PCNLUH-9FR
WMS-TR-PCNLUH-12FR

ALKEN NEEDLE



ALKEN TELESCOPIC DILATOR SET WITH GUIDE ROD (METALLIC) SIZE :6FR-30FR






ACCESSORIES FOR MINI PCNL

MINI PCNL ALLIGATOR FORCEP

WMS-M-PCNL-3FR
WMS-M-PCNL-4FR
WMS-M-PCNL-5FR



MINI PCNL TRIPRONGE FORCEP

WMS-MPCNL-TFP-3FR
WMS-MPCNL-TFP-4FR
WMS-MPCNL-TFP-5FR







WMS-MPCNL-UHTR-3FR
WMS-MPCNL-UHTR-4FR
WMS-MPCNL-UHTR-5FR

MINI PCNL BIPRONGE FORCEP

WMS-MPCNL-BFCP-3FR
WMS-MPCNL-BFCP-4FR
WMS-MPCNL-BFCP-5FR





ENDOSCOPIC DILATORS

MALE METAL URETHRAL DILATOR SET WITH GUIDE WIRE PASSAGE

WMS-UDMM-GWP





Size : 28/32,26/30,24/28,22/26,20/24,18/22,16/20,14/18,12/16,10/14,8/12,6/10

MALE METAL URETHRAL DILATOR SET WITHOUT GUIDE WIRE PASSAGE

WMS-UDMM-GWTP






Size : 28/32,26/30,24/28,22/26,20/24,18/22,16/20,14/18,12/16,10/14,8/12,6/10


METAL MEATUS DILATOR WITH GUIDE WIRE PASSAGE



WMS-DMML-PWG

METAL MEATUS DILATOR WITHOUT GUIDE WIRE PASSAGE





WMS-DMML-PWOG

ENDOSCOPIC DILATORS

MALE METAL HEYGROOVE DILATOR SET



WMS-HDMM

Size :4/7,8/11,11/14,14/16

FEMALE URETHRAL (HEGARD) METAL DILATOR SET



WMS-MDFU

Size : 3/3.5,4/4.5/5/5.5,6/6.5,7/7.5/8/8.5,
9/9.5,10/10.5,11/11.5,12/12.5

MALE METAL URETHRAL DILATOR SET WITHOUT GUIDE WIRE PASSAGE (TRUMPET)



WMS-UDM

Size : 28/32,26/30,24/28,22/26,20/24,18/22,
16/20,14/18,12/16,10/14,8/12,6/10

SURGIXPERT

Precision Instruments. Trusted Care.

A Brand of WebMeditech Healthcare Pvt. Ltd.

SCAN ME

WEBMEDITECH HEALTHCARE PVT LTD

Manufacturing Address:- First Floor,C 11/4,GIDC, SEC-25 ,Gandhi Nagar Road , RailwayCrossing,Sec -11 ,Gandhinagar ,Gujarat ,382010

Head Office:- 812, Lilamani Corporate Heights, near Ozone Aangan Flats, Chandramauli Society, Bhimjipura, Nava Vadaj, Ahmedabad, Gujarat 380013

www.surgixpert.com

info@surgixpert.com

+919924497265
+916358720929